

ACCOLOY® KUPLEX® OBLONG MASTER LINKS

The Accoloy® Kuplex® Oblong Master Link is a vital component of chain slings and is optimally designed for use with crane hooks. It allows for several applications including rigging and overhead lifting. Fabricated with premium quality, high strength alloy steel, this oblong master link is a high calibre product for all your rigging and lifting needs. Accoloy® Kuplex® meet the latest guidelines of the NACM and ASTM A391/A391M (Grade 80) or ASTM A973/A973M (Grade 100).



ACCOLOY® KUPLEX® OBLONG MASTER LINKS

GRADE

- 80 and 100

FINISH

- Powder coated red or unpainted

STANDARDS

- Meet the latest guidelines of the NACM and ASTM A391/A391M (Grade 80) or ASTM A973/A973M (Grade 100)

HEAT TREATMENT

- Quenched and tempered before proof testing

ORIGIN

- Made in Canada

APPLICATION


- Overhead Lifting

MATERIAL

- Premium quality, high strength alloy steel

ACCOLOY® KUPLEX® OBLONG MASTER LINKS

DIAGRAM DRAWINGS



ACCOLOY® KUPLEX® OBLONG MASTER LINKS

PRODUCTS SPECIFICATIONS

Product	Forged or Welded	Finish	Dim A (in.)	Dim B (in.)	Dim C (in.)	Lbs. Per Ea.	WLL 5:1 Safety Factor (Lbs.)
598300022	Welded	Unpainted	1.5	6	12	18	58700
598300025	Welded	Unpainted	1.75	6	12	25	73500
598300030	Welded	Unpainted	2	7	14	38	88900
598300034	Welded	Unpainted	2.25	8	16	58	125200
598300036	Welded	Unpainted	2.75	9	16	92	164400
598300038	Welded	Unpainted	2.5	8	16	74	135000
598300047	Forged	Unpainted	0.625	3	6	1.4	7400
598300048	Forged	Unpainted	0.75	3	6	2.5	15200
598300049	Forged	Unpainted	1	3.5	7	5.3	26000
598300052	Forged	Unpainted	1.25	4	8	8.6	39100
598310006	Welded	Painted	1.75	6	12	25	73500
598350001	Forged	Painted	0.63	3	6	1.4	7400
598350002	Forged	Painted	0.75	3	6	2.5	15200
598350003	Forged	Painted	1	3.5	7	4.7	26000
598350004	Forged	Painted	1.25	4	8	8.5	39100
598350005	Welded	Painted	1.5	6	12	17.5	58700